

Countries that follow ICH-GCP Guidelines for Clinical Trials

Clinical studies should be carried out according to International Conference on Harmonisation (ICH) / WHO Good Clinical Practice (GCP) standards. This provides a unified standard for the European Union (EU), Japan, and the United States, as well as those of Australia, Canada, the Nordic countries and the World Health Organisation (WHO). Thus, any country that adopts this guideline technically follows this same standard.

The countries that follow the ICH-GCP guidelines include:

- USA
- Canada
- Japan
- UK
- Australia
- Afghanistan
- Albania
- Algeria
- Andorra
- Angola
- Antigua and Barbuda
- Argentina
- Armenia
- Austria
- Azerbaijan
- Azerbaijan
- Bahrain
- Bangladesh
- Barbados
- Belarus
- Belgium
- Belize
- Benin
- Bhutan
- Bolivia
- Bosnia and Herzegovina
- Botswana
- Brazil
- Brunei
- Bulgaria
- Burkina Faso
- Burundi
- Cambodia
- Cameroon
- Cape Verde
- Central African Republic
- Chad
- Chile
- China
- Colombia
- Comoros
- Costa Rica
- Cote d'Ivoire
- Cuba
- Cyprus
- Czech Republic
- Democratic Republic of the Congo
- Denmark
- Djibouti
- Dominica
- Dominican Rep.
- East Timor
- Ecuador
- Egypt
- El Salvador
- Equatorial Guinea
- Eritrea
- Estonia
- Ethiopia
- Federated States of Micronesia
- Fiji
- Finland
- France
- Gabon
- Georgia
- Germany
- Ghana
- Greece
- Grenada
- Guatemala
- Guinea
- Guinea-Bissau
- Guyana
- Haiti
- Honduras
- Hong Kong
- Hungary
- India
- Indonesia
- Iran
- Iraq
- Ireland
- Israel
- Italy
- Jamaica
- Jordan
- Kazakhstan
- Kenya
- Kiribati
- Kuwait
- Kyrgyzstan
- Laos
- Latvia
- Lebanon
- Lesotho
- Liberia
- Libya
- Liechtenstein
- Lithuania
- Luxembourg
- Madagascar
- Malawi
- Malaysia
- Maldives
- Mali
- Malta
- Marshall Islands
- Mauritania
- Mauritius
- Mexico
- Moldova
- Monaco
- Mongolia
- Morocco
- Mozambique
- Myanmar
- Namibia
- Nauru
- Nepal
- Netherlands
- New Zealand
- Nicaragua
- Niger
- Nigeria
- North Korea
- Norway
- Oman

Countries that follow ICH-GCP Guidelines for Clinical Trials

Clinical studies should be carried out according to International Conference on Harmonisation (ICH) / WHO Good Clinical Practice (GCP) standards. This provides a unified standard for the European Union (EU), Japan, and the United States, as well as those of Australia, Canada, the Nordic countries and the World Health Organisation (WHO). Thus, any country that adopts this guideline technically follows this same standard.

The countries that follow the ICH-GCP guidelines include:

- Pakistan
- Palau
- Panama
- Papua New Guinea
- Paraguay
- Peru
- Philippines
- Poland
- Portugal
- Qatar
- Republic of the Congo
- Romania
- Russia
- Rwanda
- Saint Kitts and Nevis
- Saint Lucia
- St. Vincent and the Grenadines
- Samoa
- San Marino
- Sao Tome and Principe
- Saudi Arabia
- Senegal
- Serbia
- Seychelles
- Sierra Leone
- Singapore
- Slovakia
- Slovenia
- Solomon Islands
- Somalia
- South Africa
- South Africa
- South Korea
- Spain
- Sri Lanka
- Sudan
- Suriname
- Swaziland
- Sweden
- Switzerland
- Syria
- Taiwan
- Tajikistan
- Tanzania
- Thailand
- The Bahamas
- The Gambia
- Togo
- Tonga
- Trinidad and Tobago
- Tunisia
- Turkey
- Turkmenistan
- Tuvalu
- Uganda
- Ukraine
- United Arab Emirates
- Uruguay
- Uzbekistan
- Vanuatu
- Vatican City State
- Venezuela
- Vietnam
- Yemen
- Zambia
- Zimbabwe